

SO FAST SO SMART SO MACSA

lutrition Facts

Macsa id

The fastest laser coder in the market for your smart packaging needs


BiDiLase by Macsa www.bidilase.com

BiDiLase, THE CODEMASTER THAT OTHERS CANNOT KEEP UP WITH

Macsa offers a complete solution that provides a unique passport to each package.

BiDiLase is the most innovative and disruptive laser solution for coding and marking in the world for its:







UNRIVALLED SPEED More than 100 QR codes per second

It is the fastest laser in the world with a speed of 1000m/min. It can code faster than any production line need.



Personalise your brand experience with unique QR codes for each and every one of your end consumers thanks to Integra Promo&Serialization software.



High definition and microprecision without loss of quality and without the issues related to ink devices.



Smartphone optimized dot size provides your users with the optimum 2D Codes readability.

Supported by






integrapromos&serialization

Software to generate UNIQUE codes at super high speed.

BiDiLase, YOUR PARTNER FOR SMART PACKAGING

BiDiLase provides each product with a unique QR/DM code that enables interaction throughout the complete value chain



Enabling TRACEABILITY from production to end customer Allowing consumer ENGAGEMENT through promotions, nutritional information, games, etc.

Analysis









1. NO CONSUMABLES

Supply

A clean technology that does not produce waste.

Distribution

2. ENVIRONMENTALLY FRIENDLY

Production

It does not generate harmful emissions, which benefits the work environment and the planet.

3. CLEAN

For a cleaner and healthier workspace.

4. ENERGY EFFICIENT

Maximum quality and coding speed with just the right amount of energy.

Driven by Nature


Recycling

Consumer

If that wasn't enough, BiDiLase offers all of the advantages of Macsa laser technology

Retail





Voltage	3 phases + PE 400VAC 4.5KVA
Wavelength	975nm
Power	Power up to 240W
Print Height	up to 13.6mm
Number of dots	up to 35
Cooling	Water
Interface	Marca Software v.5.7.8
Software	Scanlinux v.5.5.6
Dimensions (WxDxH)	Rack 600x800x1200 Printhead 60x391x60 Umbilical up to 25m
Weight	250Kg
System	Stainless Steel Rack (diode array, power and control modules) Umbilical (fiber optic) Integrable Printhead (optics)
Environmental conditions	Temperature 15°C (59°F) – 40°C (104°F) Humidity 10% - 95%



BiDiLase by Macsa

T. 93 873 87 98 macsa@macsa.com www.macsa.com

in 💙 🐻

Macsa ID Headquarter Macsa ID UK Pl. Pla de Santa Anna 13d Old Bridg 08272 Sant Fruitós de Shefford Bages (Barcelona) Bedfordshire Tel: +34 938 738 798 SG175HQ Spain +44 (0)14628

 13d Old Bridge Way
 F

 Shefford
 Z

 Bedfordshire
 T

 SG175HQ
 F

 +44 (0)1462 816091
 UK

Macsa ID Portugal Rua Eng. Frederico Ulrich n. 2650. 4470 - 605 Moreira Maia Tel: +351 229962204 Portugal

Macsa ID Malaysia E-8-03, The Gamuda Biz Suites No.12, Jalan Anggerik Vanilla 31/99, Kota Kemuning, 40460 Shah Alam Selangor Malaysia Macsa Coding Technology (shenzhen) Co, Ltd East side of 2/F, 7 Building Lijincheng Technology Industry Park Jihua Road Longhua Street, Longhua District 518100 Shenzhen

Tel: +86 0755-23611591

China

